

E Series LEDs



RD-E14/17-CP-6W-D

	E12	E14	E17
		✓	✓
Real Power	4.8W		
Light Source	64pcs 2835SMD		
Lumen	500Lm		
Color Temperature	2700-6500K		
CRI	Ra>80		
Voltage	110/220V AC		

RD-E14-CP-5W

Real Power	5W
Light Source	75pcs 2835SMD
Lumen	420Lm
Color Temperature	2700-6500K
CRI	Ra>80
Voltage	120/230V AC

RD-E12-3W-SG

Real Power	2.5W
Light Source	32pcs 2835SMD
Lumen	220Lm
Color Temperature	2700-6500K
CRI	Ra>80
Voltage	120/230V AC

RD-E12/14/17-FB-3W

	E12	E14	E17
	✓	✓	✓
Real Power	2.5W		
Light Source	Filament LEDs		
Lumen	280Lm		
Color Temperature	2700-6500K		
CRI	Ra>80		
Voltage	120/230V AC		

RD-E12/14-T26-1.5/2W

	E12	E14	E17
	✓	✓	
Real Power	1.2/1.8W		
Light Source	2/4pcs Filament LEDs		
Lumen	150/260Lm		
Color Temperature	2700-6500K		
CRI	Ra>80		
Voltage	120/230V AC		

RD-E12/14-C-1.5W

	E12	E14	E17
	✓	✓	
Real Power	1.5W		
Light Source	4pcs 2835SMD		
Lumen	80Lm		
Color Temperature	2700-6500K		
CRI	Ra>80		
Voltage	120/230V AC		

Attention:

- Lifespan of the bulbs will be effected while working ambient temperature that higher 45°C/113°F.
- The inner space of enclosed fixtures should be 5 times bigger than the size of the bulbs.
- The dimming level for dimmable products would be under a certain dimmer, it is better to take samples for testing the dimming function.