



PRODUCT ADVANTAGES AND FEATURES

Four dimming modes: Low brightness medium brightness High brightness SOS flash mode

USB changing port, it can be charged by power bank, car changer or adapter

The lamp body can be rotate 360° and the braket can be adjusted 180°

Imported optical lens, its luminous efficiency up to 95%



Product Technical Parameters

	Model	Luminous	Battery	
25	TG01-30W	2001m/W	3.7V/5Ah	1)1
	TG01-50W	2001m/W	3.7V/10Ah	2)6 3)2
	TG01-100W	2001m/W	3.7V/15Ah	4)2


Lighting Time Auto Working Mode: Fully charged, can work for 10 hours

 \bigcirc


34/132



INTENSITY DISTRIBUTION DIAGRAM



100W-Light Distribution Curve



100W-Lux Distance Cure

Mode

-)100% power; 2)60% power; 3)20% power;
-)2Emergency light

WORK LIGHT

TG05 SERIES

30W 50W 100W


PRODUCT ADVANTAGES AND FEATURES


Four dimming modes: Low brightness medium brightness High brightness SOS flash mode


- USB changing port, it can be charged by power bank, car changer or adapter
- The lamp body can be rotate 360° and the braket can be adjusted 180°
- Imported optical lens, its luminous efficiency up to 95%



WORK LIGHT SERIES








Product Technical Parameters

Model	Luminous	Battery	
TG05-30W	2001m/W	3.7V/5Ah	1
TG05-50W	2001m/W	3.7V/10Ah	2 3
TG05-100W	2001m/W	3.7V/15Ah	4

Lighting Time Auto Working Mode: Fully charged, can work for 10 hours

36/132



INTENSITY DISTRIBUTION DIAGRAM IN C PLANS



100W-Light Distribution Curve



100W-Lux Distance Cure

Mode

- 100% power; 60% power; 20% power;
- 2Emergency light