



# Realdoit

LED Integrated luminaire

NEW  
2023

REALDOIT  
PRODUCT

[www.landscapelighting.cn](http://www.landscapelighting.cn)





## About Us:

### Company Brief:

Established Jan, 2010. We are a professional factory producing and trading LED lighting for landscapes and others.

**Brand:** **Realdoit**


**Slogan:** Realdo is really reliable

**Mission:** Providing entire and solely high-level and cost-effective LED lighting.


### Reputation:

- \* Getting full approval ETL,UL,JA8(TITLE 24),FCC,CE,ErP,INMETRO,SAA,TUV,EMC etc to ensure product quality.
- \* Passing the audit for ISO9001, ISO14001, BSCI by SGS to build a responsible system to society, staff and product quality.
- \* Having Obtained many PATENTS to provide unique and customized products to customers.
- \* Exporting to more than 70 countries during the past 10 years to accumulate enough sales and service experiences for different markets and clients.





FEATURES: Ip65 Waterproof  
 Aluminum Construction  
 Fully potted Electronics



FEATURES: Ip65 Waterproof  
 Aluminum Construction  
 Fully potted Electronics





No.	Model	Real Power	Color Available	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2702A	0.5W	Red/Green/Blue/Amber	50Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2702B	1.5W	Red/Green/Blue/Amber	160Lm	2700-6500K	Ra>80	9-15V AC/DC	/







# HARDSCAPE LIGHT

Realdo Electronic Technology Co.,Ltd



FEATURES: Ip65 Waterproof  
Aluminum Construction  
Fully potted Electronics



FEATURES: Ip65 Waterproof  
Aluminum Construction  
Fully potted Electronics





2700K warm white



3000K pure white

4200K cool white

No.	Model	Real Power	Color Available	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2702C	2.5W	Red/Green/Blue/Amber	240Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2703	2W	Red/Green/Blue/Amber	200Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2703	3W	Red/Green/Blue/Amber	300Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2703	4W	Red/Green/Blue/Amber	400Lm	2700-6500K	Ra>80	9-15V AC/DC	/





FEATURES: Ip65 Waterproof  
 Antique Bronze  
 Die-cast Brass




FEATURES: Ip65 Waterproof  
 Antique Bronze  
 Die-cast Brass

No.	Model	Real Power	Beam Spread	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2702A	1-5W	160	80-400Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2504	5W	60	450Lm	2700-6500K	Ra>80	9-15V AC/DC	/






FEATURES: Ip65 Waterproof  
 Antique Bronze  
 Die-cast Brass




No.	Model	Real Power	Beam Spread	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2505	3-12W (Adjustable)	24/38/60°	240-840Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2505B	12W	24/38/60°	1440Lm	Changeable	Ra>80	9-15V AC/DC	/





ADJUSTABLE WATTAGE AND BRIGHTNESS



FEATURES: Ip65 Waterproof  
 Adjustable Beam Spread  
 Adjustable wattage  
 Antique Bronze  
 Die-cast Brass



No.	Model	Real Power	Beam Spread	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2506L	6-24W (Adjustable)	20-60°	2000Lm(MAX)	2700-6500K	Ra>80	9-15V AC/DC	/






IP65

ON/OFF > 12500

Life Time 25000h

**Ra**  
≥ 80

Wide Range Voltage



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM

RD2507A

RD2507B

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM


IP65

ON/OFF > 12500

Life Time 25000h

**Ra**  
≥ 80

Wide Range Voltage



No.	Model	Real Power	Beam Spread	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2507A	7W	120°	670Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2507A	12W	120°	1120Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2507A	20W	120°	1800Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	RD2507B	40W	120°	3400Lm	2700-6500K	Ra>80	9-15V AC/DC	/





ADJUSTABLE WATTAGE AND BRIGHTNESS




**RD2502**

**FEATURES:**  
 Ip65 Waterproof  
 Antique Bronze  
 Die-cast Brass








**RD2503**

**FEATURES:**  
 Ip65 Waterproof  
 Antique Bronze  
 Die-cast Brass

No.	Model	Real Power	Beam Spread	Lumen	Color Temperature	CRI	Voltage	Remark
1	RD2502	5W	120°	600Lm	2700-6500K	Ra>80	9-15V AC/DC	/
2	Rd2503	2W	120°	240Lm	2700-6500K	Ra>80	9-15V AC/DC	/







# Realdoit

— 2023 —

## Realdo Electronic Technology Co.,Ltd

Address: 5/F, Building 1, No. 49, North Ring 1 Road, Fulong, Shipai Town,  
Dongguan City, Guangdong, China

Tel : +86-756-3221370 Fax : +86-756-3231831

E-mal : sales@realdoled.com

Website : [www.realdoled.com](http://www.realdoled.com)  
[www.landscapelighting.cn](http://www.landscapelighting.cn)

